

GLO LITE INTERNATIONAL



Traffic
Signals



Traffic
Cones



Construction
Flashing Lights
and Traffic
Safety



Safety Fencing
Barrier Tape
Plastic Chain



Road Studs
Solar Powered
Accessories



Convex Mirrors
Supersounds
GENERAL PPE



COMPANY PROFILE

YEAR ESTABLISHED

Glolite International was established in 1994. The company has developed into a wholesale supplier of manufactured, imported and local products for the personal, construction, traffic and general safety industry.

COMPANY LOCATION

The company is ideally situated in the central business district of Durban, KwaZulu Natal, South Africa

GROUP MEMBERSHIP

Glolite International is part of the Rama Group of Companies and is a fully black empowered company. The company is being audited for BEE recognition and scorecard rating.

PRODUCTS AND SERVICES

Glolite's range of products include:
Plastic Mesh Fencing (1m & 1.2m), barrier tapes, traffic cones (3 sizes), solar powered warning lights, revolving construction vehicle lights, solar powered road studs, convex mirrors (various sizes), super-sound emergency horns, plastic chains and poles.

NEW PRODUCTS:
Traffic Signals.

GROWTH STRATEGIES

Glolite International is in the process of expanding its customer data base to include SADC countries. The company has established overseas suppliers and deals directly with manufacturers which helps in keeping prices down and having a competitive advantage in the safety market. This also helps in tailoring products for bulk customers.

CUSTOMER DATA BASE

Glolite International has a wide national and African customer data base who are serviced by courier services or pick up from our depot daily.

CONCLUSION

Glolite International's vision is to become a predominant supplier of a range of high quality safety products in the local and international markets, by focusing on its commitment to customer satisfaction and adhering to high quality products.





Height : 1000 mm
Prod Code : TRACON1000
Weight : 4.90kg
Sleeve : 310mm



Height : 750 mm
Prod Code : TRACON750
Weight : 2.40kg
Sleeve : 240mm




Height : 500 mm
Prod Code : TRACON500
Weight : 1.75kg
Sleeve : 110mm

Traffic Cones

- Upper: Fluorescent Orange
- Injection Moulded PE
- UV Stabilised
- Base: Black, 100% Rubber
- Reflective Sleeve - White

Orange Plastic Safety Fence

Prod Code : NET
Roll Weight : 6.6 kg



Prod Code : NET12
Roll Weight : 7.2 kg

- 130gsm Orange Extruded PE
- UV Stabilised
- 1000mm High X 50m Roll
- 50m Roll

- 130gsm Orange Extruded PE
- UV Stabilised
- 1200mm High X 50m Roll
- 50m Roll

Red and White Barrier Tape

Prod Code :
B/TAPE

- 75mm X 500m Roll
- 30 micron recycled material

Black and Yellow Barrier Tape "Caution" Print

Prod Code :
BTAPEBLA/YEL

- 75mm X 500m Roll
- 20 micron virgin material





Plastic Striped Pole and Oval Chain



- ⊗ Outside Length : 60mm
- ⊗ Outside Height : 30mm
- ⊗ Inside Length : 47mm
- ⊗ Inside Height : 17mm

PLASTIC CHAIN

High strength injected moulded oval links. Every alternate link is a connecting link - to open it just twist the link and pull, to reassemble push the halves together matching the barbs until it clicks.

OVAL CHAIN

Red, White, Yellow, Black, Red/White, Black/Yellow

POLES

Aluminium poles with colour coded sleeves. Injection moulded hooks which can be rotated to face any direction. Topped by a moulded grommet to close the pole and prevent accidental injury. Poles are 1metre high.

POLES

Plain White, Red/White or Yellow/Black

POLESTANDS

Highly durable, aesthetically pleasing base manufactured from regrind PVC. 2kg in weight providing a firm base. Black. Diameter 270mm. Height 55mm.

**450mm
Convex Mirror**



Prod Code : CONMIR450

**600mm
Convex Mirror**



Prod Code : CONMIR600

**900mm
Convex Mirror**



Prod Code : CONMIR900

- ⊗ Poly Carbonate Mirror (Tough & Flexible)
- ⊗ PE Housing
- ⊗ Multi-adjustable bracket included





Construction Flashing Light

Prod Code :
CONSFASH

- ☉ SOLAR POWERED
- ☉ Single day's charge will last 5 nights
- ☉ Amber Only
- ☉ Base designed to fit into top of traffic cone

Revolving Light

Prod Code :
REVLIGHT

- Magnetic Base ☉
- 12V DC ☉
- Amber Only ☉
- 1.5m Cord ☉
- 5W incandescent bulb ☉
- 3 magnetic feet (can be removed for permanent mounting) ☉



Supersound Loud and Clear - 185g	Prod Code : SUPER
Box for Loud and Clear	Prod Code : SUPERBOX
Supersound Station (Box with Loud and Clear)	Prod Code : SUPERSTA
Supersound Loud and Clear - 185g - REFILL	Prod Code : SUPEREF
Supersound Mini	Prod Code : SUPERM



- ☉ No electricity, no batteries
- ☉ Gas powered - 118db blast of sound
- ☉ Neighbor to neighbor communication
- ☉ Easy Access in emergencies
- ☉ Distinct Sound, Code Signals, Backup Alarm
- ☉ Replacable cannister

INTERNATIONAL





Road Studs



GA



Single Sided Solar Road Stud


Prod Code :
RSSSS



- ⊗ Super Bright LED's - 2x8mm
- ⊗ Battery - Ni-CD 900mAH
- ⊗ Weight - 600g
- ⊗ Colours available - White, Red, Yellow, Blue and Green


Double Sided Solar Road Stud

Prod Code :
RSSDS



- ⊗ Solar Cell - 2V, 120mA Monocrystalline
- ⊗ Flashing (Steady on special order)
- ⊗ Aluminium Alloy and Polycarbonate body
- ⊗ 7-10 day operation in cloudy weather
- ⊗ Operating Temperature - -25°C to 60°C
- ⊗ Battery Life - 3-5 Years
- ⊗ Dimensions - 132x123x75mm

- ⊗ Super Bright LED's - 4x8mm
- ⊗ Battery - Ni-CD 1200mAH
- ⊗ Weight - 650g
- ⊗ Colours available - White/White, Red/Yellow, Red/White



Double Sided ABS Road Stud

Prod Code :
RS1

- ⊗ Material - ABS
- ⊗ Dimensions - 100x100x20mm
- ⊗ Colours Available - White/White, Red/Yellow, Red/White and Yellow/Yellow



LED Traffic Signal Series



Technical Details:

- Input voltage – 176 – 264VAC
- Illuminance: Red 928cd, Yellow 714cd, Green 989cd
- Chroma: Red 630nm, Yellow 590nm, Green 505nm
- LED Lifetime: >= 100000 hours
- IP Rating: >= IP53
- Temperature: -40°C to 75°C


- Small Form Controller – 330mm X 130mm X 300mm
- Individual lights available in 200, 300 and 400mm diameter.
- Sets available as per table below.
- Solar powered units available.
- Unique Countdown timer for red and green phase.

Φ300

Type	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
1 Lens	570	540	480	330	407
2 Lens	920	540	480	330	757
3 Lens	1270	540	480	330	1107
4 Lens	1620	540	480	330	1457
5 Lens	1970	540	480	330	1807

Φ400

Type	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
1 Lens	680	620	500	330	585
2 Lens	1150	620	500	330	1055
3 Lens	1620	620	500	330	1525
4 Lens	2090	620	500	330	1995
5 Lens	2590	620	500	330	2465



General Safety and PPE



GA



Bata Industrials

FOOTWEAR BEYOND SAFETY

